

From: [Cobb, Derrick](#)
To: [Moore, Gary](#)
Cc: [Warr \(Kettler\), Kristie](#); [Cecilia Ceci Shappee \(c.shappee@westonsolutions.com\)](#)
Subject: Re: Urgent: Water Samples - Stormwater Must Contain These Analytes Plus Totals for All others
Date: Thursday, September 04, 2014 7:29:48 AM

Kristie,
I need additional containers/container requirements for the parameters listed below. These samples need to be collected tomorrow morning at the latest.

Sent from my iPhone

On Sep 3, 2014, at 11:49 PM, "Moore, Gary" <Moore.Gary@epa.gov> wrote:

Ammonia
BOD5
COD
TSS
Turbidity
Nitrate + Nitrite
Nitrogen
Total Phosphorus
pH
Aluminum (T)
Antimony (T)
Arsenic (T)
Beryllium (T)
Cadmium (T)
Copper (T)
Cyanide
Iron (T)
Lead (T)
Magnesium (T)
Mercury (T)
Nickel (T)
Selenium (T)
Silver (T)
Zinc (T)

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

moore.gary@epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.